

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
14 October 2004 (14.10.2004)

PCT

(10) International Publication Number
WO 2004/088516 A1

(51) International Patent Classification⁷: **G06F 9/45**, 9/44

(21) International Application Number:
PCT/EP2004/001382

(22) International Filing Date: 13 February 2004 (13.02.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
03007527.9 1 April 2003 (01.04.2003) EP

(71) Applicant (for all designated States except US): **SAP AKTIENGESELLSCHAFT** [DE/DE]; Neurottstrasse 16, 69190 Walldorf (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BARTSCH, Eduard** [DE/DE]; Kolpingstr. 14, 68766 Hockenheim (DE). **LIENHARDT, Joerg** [DE/DE]; Haydenstrasse 17, 69190 Walldorf (DE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND COMPUTER SYSTEM FOR ACTIVATION OF SOURCE FILES



900

(57) Abstract: Method and computer system (900) for activation of source files. A source file repository (100) stores a plurality of active source files (AS1, AS2, AS3) belonging to a component (C1). A central compilation service (200) receives (410) an activation request for at least one inactive source file (IS1) of the component (C1). In response to the activation request the central compilation service (200) compiles (420) the component (C1) using the at least one inactive source file (IS1) and, in case the compilation is successfully completed, initiates (430) a transfer (440) of the at least one inactive source file (IS1) to the plurality (P1) of active source files.